

M2M, LTE Wi-Fi

MIMO

GL-9575 incar router



Wifi, 12V, EM, /3G/4G M2M (Machine-to-Machine Mobile-to-Machine Mobile-to-Mobile).

- ◆ 802.11n/802.11g/802.11b/802.3/802.3u
- ◆ 2*10/100 Mbps RJ45 , MDI/MDIX
- ◆ 1*USB2.0
- ◆ 1*MICRO SD (TF)
- ◆ 1*PCI-E , 3G/4G,

- ◆ Support USB port dial-up(need 3G/4G PCI-E module)
- ◆ Support GPS function(Depend on 3G/4G PCI-E module)
- ◆ Powered by 12V Car/Bus power supply

Hardware	
	DDR2 64MB (DDR2 256MB Max.)
SPI FLASH	16MB (32MB Max.)
Protocol	IEEE 802.11n,IEEE 802.11g,IEEE 802.11b, IEEE 802.3,IEEE 802.3u
Wi-fi	802.11b 18dBm±2dBm 802.11g 15dBm±2dBm 802.11n 15dBm±2dBm
	802.11b: -83dBm@10% PER 802.11g: -74dBm@10% PER 802.11n: -68dBm@10% PER
	2.4 1-13
	300Mbps
	2.4GHz
	5dBi x 5 (.)
	USB 2.0 * 1 Micro SD slot * 1 10/100M WAN port * 1 10/100M LAN port *1
LED	Power,WPS,2.4G,WAN,LAN1,LAN2,LAN3,LAN4
Button	WPS
	Reset
Power Consumption	< 12W
Software	
WAN Access	PPPoE,Dynamic IP,static IP
Work Mode	AP Router
DHCP Server	DHCP Server

	L M ip
Virtual Server	Port Forwarding DMZ Host
Security Settings	Client Filter Mac address filtering URL Filter Remote WEB management
DDNS	
VPN Pass-through	
Bandwidth Control	
Static Routing	
System Log	
	0°C~40°C -40°C~70°C 10% ~ 90% 5%~95%
	12 1 24